

Using Medications: Why and How?

Part B: What Should We Know When Taking Medications?



Prescription (Rx) Label:

Rx **Local Pharmacy**
123 Main St.
Corner Brook, NL
709-555-1111


Rx #: 171292 Date: 25-Jan-2024
Charlie Bryant

TAKE 1 TABLET BY MOUTH ONCE DAILY IN AM
CONCERTA 18MG TABLETS

Keep Out Of Reach Of Children



 **MORNING**

 **SWALLOW WHOLE**
DO NOT Crush,
Break, or Chew.

 **MEDICATION SHOULD**
BE TAKEN WITH PLENTY OF
WATER

Using Medications: Why and How?

Part B: What Should We Know When Taking Medications?



Prescription (Rx) Label:

Rx **Local Pharmacy**
123 Main St.
Happy Valley-Goose Bay, NL
709-555-2222

Rx #: 204991 Date: 4-Feb-2024
Tamara Bing

USE ONE SPRAY IN EACH NOSTRIL ONCE DAILY
MOMETASONE NASAL SPRAY (50MCG/SPRAY)

Keep Out Of Reach Of Children



 **SHAKE WELL**

 **FOR THE *NOSE***

STORE AT ROOM TEMPERATURE

DO NOT SWALLOW

Using Medications: Why and How?

Part B: What Should We Know When Taking Medications?

Prescription (Rx) Label:


Rx **Local Pharmacy**
123 Main St.
Lewisporte, NL
709-555-3333

Rx #: 212332 Date: 29-Mar-2024
Lola Martinez

Use as directed

EPIPEN JR 0.15 MG/0.3ML

Keep Out Of Reach Of Children



WARNING: The needle comes out of the orange tip. Do not put your thumb, fingers or hand over the orange tip. DO NOT remove the blue safety release until ready to use.

**STORE AT ROOM
TEMPERATURE**

Using Medications: Why and How?



Part B: What Should We Know When Taking Medications?

Prescription (Rx) Label:

Rx **Local Pharmacy**
123 Main St.
Burin, NL
709-555-4444

Rx #: 109821 Date: 18-Feb-2024
Jamal Abdul
INHALE 2 PUFFS TWICE DAILY
FLOVENT INHALER 100MCG/PUFF

Keep Out Of Reach Of Children



Using Medications: Why and How?

Part B: What Should We Know When Taking Medications?



Prescription (Rx) Label:

Rx Local Pharmacy
123 Main St.
Conception Bay South, NL
709-555-5555

Rx #: 200128 Date: 12-April-2024
Jamie Landry

TAKE 5ML THREE TIMES DAILY FOR 10 DAYS
AMOXICILLIN 250MG/5ML

Keep Out Of Reach Of Children





SHAKE WELL
STORE IN REFRIGERATOR AND DISCARD
UNUSED PORTION AFTER 14 DAYS.

Using Medications: Why and How?

Part B: What Should We Know When Taking Medications?

Prescription (Rx) Label:

Front of box:



Back of box:

Drug Facts
Active ingredients (in each gram) Gramicidin 0.26 mg (Antibiotic) Polymyxin B 0.1 mg (Antibiotic) Lidocaine HCl 45 mg (Analgesic)
Warnings For external use only Do not use : in the eyes, if allergic to any of the ingredients When using this product avoid contact with eyes. If contact occurs, rinse with water Keep out of reach of children
Directions -For adults and children 2 years and older, - for children 2-12 years, application should be supervised by an adult, - clean affected area and apply a small amount of this product on the area 1 to 3 times per day
Other information • store at 15 to 30°C



Using Medications: Why and How?

Part B: What Should We Know When Taking Medications?

Prescription (Rx) Label:

Front of box:



Back of box:

Drug Facts
<p>Active ingredients (in each tablet) Dimenhydrinate 50 mg (Analgesic)</p>
<p>Warnings Do not give to children under 2 years of age Keep out of reach of children</p>
<p>Directions</p> <ul style="list-style-type: none"> To prevent motion sickness, the first dose should be taken ½ to 1 hour before starting activity (travel in vehicle, boat, airplane) Adults: take 1 to 2 tablets every 4-6 hours, do not take more than 8 tablets in 24 hours, or as directed by a doctor Children (6-12 years old): give 1/2 to 1 tablet every 6-8 hours, do not give more than 3 tablets in 24 hours, or as directed by a doctor Children (2-6 years old): give 1/4 to 1/2 tablet every 6-8 hours, do not give more than 1-1/2 tablets in 24 hours, or as directed by a doctor



Using Medications: Why and How?

Part B: What Should We Know When Taking Medications?

Prescription (Rx) Label:

Children's Ibuprofen Suspension
Ibuprofen 100 mg/5 mL
Oral Suspension USP

- Relieves pain
- Reduces fever

For children aged 2-12

GRAPE FLAVOUR

250 ml

Children's Ibuprofen Suspension
Ibuprofen 100 mg/5 mL
Oral Suspension USP

- Relieves pain
- Reduces fever

For children aged 2-12 250 ml

Drug Facts		
Active ingredients Ibuprofen (Pain Reliever, Fever Reducer)		
Directions -Shake well before use, - May take medicine every 8 hours, - Do not use for more than 5 days		
Warnings Do not use : if allergic to any of the ingredients Keep out of reach of children		
Dose		
Age	Weight	Dose
2-3	24-35 lb	6 ml
4-5	36-51 lb	12 ml
6-8	52-71 lb	16 ml
9-10	72- 89 lb	20 ml
11-12	90-100 lb	22 ml
Other information • store at 15 to 30°C		

TAKE WITH FOOD

SHAKE WELL BEFORE USING